

<b>Supplemental Notice of Allowability</b>	<b>Application No.</b>	<b>Applicant(s)</b>	
	10/799,155	LEDBETTER ET AL.	
	<b>Examiner</b>	<b>Art Unit</b>	
	RONALD D. HARTMAN JR	2121	

-- **The MAILING DATE of this communication appears on the cover sheet with the correspondence address--**

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1.  This communication is responsive to the conversation and amendment faxed on 12/9/2008.
2.  The allowed claim(s) is/are 17/23, 26-34, 36-42 and 44 (renumbered as claims 1-24, respectively).
3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a)  All
  - b)  Some\*
  - c)  None
  1.  Certified copies of the priority documents have been received.
  2.  Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4.  A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5.  CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.
  - (a)  including changes required by the Notice of Draftsperson's Patent Drawing Review ( PTO-948) attached
    - 1)  hereto or 2)  to Paper No./Mail Date \_\_\_\_\_.
  - (b)  including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6.  DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

**Attachment(s)**

1.  Notice of References Cited (PTO-892)
2.  Notice of Draftsperson's Patent Drawing Review (PTO-948)
3.  Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4.  Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5.  Notice of Informal Patent Application
6.  Interview Summary (PTO-413),  
Paper No./Mail Date 12/14/2008.
7.  Examiner's Amendment/Comment
8.  Examiner's Statement of Reasons for Allowance
9.  Other \_\_\_\_\_.

/Ronald D Hartman Jr./  
Examiner, Art Unit 2121

## DETAILED ACTION

### EXAMINER'S AMENDMENT

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Christina Laigo on 12/9/2008.

The application has been amended as follows:

In the claims submitted by the applicant in the After Final Amendment filed on 10/1/2008:

Delete claim 17 in its entirety and replace it with:

-- 17. (Currently amended) A computing device or peripheral in a computing system, comprising:

    a housing comprising at least one lighting component and an opening for user display means or user input means; and

    a transparent or translucent layer integrated with a substantial exterior portion of said housing and positioned to provide a secondary source of information viewable in the user's workspace, whereby light emanating from the at least one lighting component propagates through said layer, said light generated according to a lighting scheme associated with a condition in the computing system or an alert from the computing system, the lighting scheme configurable by a user and synchronized among a plurality of communicatively coupled devices in a computing ecosystem,

    wherein said condition is based upon whether a task being performed is associated with a primary zone, a secondary zone or a tertiary zone of the computing

system, wherein said primary zone is the location for tasks requiring fine motor control, the secondary zone is the location for tasks requiring gross motor movement and the tertiary work zone is the location for infrequently performed tasks or actions. --

***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to RONALD D. HARTMAN JR whose telephone number is (571)272-3684. The examiner can normally be reached on Mon.-Fri., 11:00 - 8:30 pm, EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Albert Decay can be reached on (571) 272-3819. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Ronald D Hartman Jr./  
Examiner, Art Unit 2121  
December 14, 2008  
RDH